

PRODUCT AND COMPANY IDENTIFICATION

Trade Name Neosorexa Pasta Bait

Product Code DIFE84430

Intended Use FOR USE ONLY AS A RODENTICIDE

The product must be used only in accordance with the label.

Health and Safety Executive HSE 7758

Appearance A blue pasta bait presented in individual units. Each unit is

enrobed in paper.

Manufacturer/Supplier Sorex Limited

Address St Michael's Industrial Estate,

Widnes, Cheshire

WA8 8TJ

United Kingdom +44 (0) 151-420 7151

 Phone Number (24h)
 +44 (0) 151-420 7151

 Fax Number
 +44 (0) 151-495 1163

COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components in Preparation

Component Name CAS No. Concentration Classification

1. Difenacoum Technical Material 56073-07-05 0.005% T+;R26/27/28, T;R48/23/24/25, N;R50/53

N Dangerous to the Environment.

T Toxic
T+ Very toxic.

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with

skin and if swallowed.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

HAZARDS IDENTIFICATION

Main Hazards

Not classified as hazardous.

Avoid all contact by mouth.

Large quantities would need to be ingested to produce a toxic effect.

Practically non-hazardous by skin contact.

This product contains difenacoum, an indirect anticoagulant. Any signs of poisoning are unlikely to occur until 12-18 hours after exposure. Thereafter, they will develop progressively and may rapidly appear. Clinical signs result from an increased bleeding tendency and include: an increase in prothrombin time, bruising easily with occasional gum bleeding, blood in the stool or urine, excessive bleeding from minor cuts and abrasions, pale mouth and cold gums, anorexia and general weakness. More severe cases of poisoning include haemorrhage (usually internal) and shock. This product is hazardous to mammals, including domesticated animals, and birds. Exposure of non-target animals should be prevented.

FIRST AID MEASURES

First Aid - Eyes Wash out eye with plenty of water. Obtain medical advice if

necessary.

First Aid - Skin Wash skin with soap and water.

First Aid - Ingestion Do not induce vomiting. Wash out mouth with water. Obtain

medical advice if necessary.

First Aid - Inhalation Remove from exposure. Obtain medical advice if necessary.

DIFE84430 2.00 (January 2004) /English Page 1 of 4



FIRST AID MEASURES (continued)

Advice to Physicians

Difenacoum is an indirect anticoagulant. Vitamin K1 (phytomenadione) is antidotal. Other forms of Vitamin K are not effective.

In the case of suspected poisoning, determine prothrombin time up to 48 hours after exposure. If elevated, administer Vitamin K1, 10-20 mg (0.25mg/kg for children) by slow intravenous injection, and continue until prothrombin time stabilises. Continue treatment with an oral Vitamin K1 dose of 10 mg four times per day until the prothrombin time has remained normal for three days. Further treatment, an oral dose of 10 mg twice daily, may be required for up to several months.

Prothrombin time should be checked 24-hours, 3 days and 1 week after the last dose of Vitamin K1 before a decision is made to stop treatment.

FIRE-FIGHTING MEASURES

This product is non-flammable, but is combustible.

Extinguishing Media Use water spray, foam, dry chemical or carbon dioxide. Cool

the smouldering material with water spray to minimise the possibility of re-ignition. Keep containers and surroundings

cool with water spray.

Protective Equipment for Fire-

Fighting

Wear self contained breathing apparatus.

ACCIDENTAL RELEASE MEASURES

Spillages Any spillages should be cleared up immediately and disposed

of safely. Wash contaminated surfaces with detergent

solution.

HANDLING AND STORAGE

Handling The product must be used only in accordance with the label.

Avoid contact with eyes, skin and clothing.

Refer also to the section 'Exposure Controls/Personal

Protection'.

Storage Store in original container under cool and dry conditions in a

secure, well ventilated place, inaccessible to children and away from food, animal feedstuffs and products which may

have an odour.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards

1.Difenacoum Technical Material None assigned.

Exposure controls should be implemented with due regard to the hierarchy of controls (elimination, substitution, local exhaust ventilation, operating procedures and Personal Protective Equipment (PPE)). PPE should only be used as a last resort where exposure cannot be controlled by other means.

Hand Protection Although gloves are not required for the safe use of the

product, they are recommended for protection against rodent-

borne diseases.

DIFE84430 2.00 (January 2004) /English Page 2 of 4



PHYSICAL AND CHEMICAL PROPERTIES

Physical State Semi-solid.

Colour Blue.

Odour Fruity.

Relative Density ca. 1.05.

Flammability Not flammable.

Solubility in Water Insoluble.

Explosive Properties None.

Oxidising Properties None.

STABILITY AND REACTIVITY

Stability Stable under normal conditions of use.

Hazardous Decomposition

Products

Hazardous decomposition products are not expected to be

formed during normal storage.

TOXICOLOGICAL INFORMATION

Acute Toxicity Oral LD50 (rat) 36000 mg/kg.

Irritancy - Eyes Not an eye irritant.

Irritancy - Skin Not a skin irritant.

Skin Sensitisation Studies have not revealed any evidence of skin sensitisation

effects.

ECOLOGICAL INFORMATION

Ecotoxicity This product is hazardous to mammals, including

domesticated animals, and birds. Exposure of non-target

animals should be prevented.

DISPOSAL CONSIDERATIONS

Product Disposal The best means of disposal of any product is through proper

use according to the label.

This product must be disposed of as controlled waste.

Container Disposal This container must be disposed of as controlled waste.

Any disposal must comply with Local and National Requirements. Refer also to relevant EU provisions.

TRANSPORT INFORMATION

Non-hazardous for transport.

DIFE84430 2.00 (January 2004) /English Page 3 of 4



REGULATORY INFORMATION

Intended Use

FOR USE ONLY AS A RODENTICIDE

The product must be used only in accordance with the label.

Health and Safety Executive HSE 7758

Precautions Phrases

S2 Keep out of reach of children.

Avoid all contact by mouth.

S20/21 When using do not eat, drink or smoke.

Wash hands and exposed skin before meals and after use.

Do not use bait where food, feed or water could become contaminated.

Prevent access to the bait by children, birds and other animals, particularly dogs, cats, pigs and poultry.

Remove all remains of bait and bait containers after treatment and dispose of safely. Do not dispose of in refuse sacks or on open rubbish tips.

Search for rodent bodies and dispose of safely. Do not dispose of in refuse sacks or on open rubbish tips.

S13 Keep away from food, drink and animal feeding stuffs.

Keep in original container, tightly closed, in a safe place.

S35 This material and its container must be disposed of in a safe way.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

OTHER INFORMATION

For use only as specified on the label.

This product contains a human taste deterrent and warning dyes. The human taste deterrent is included at a concentration that is repulsive to human taste but is not detected by rats or mice.

The information in this data sheet should be considered when undertaking a risk assessment. A data sheet does not constitute a risk assessment.

This data sheet was prepared in accordance with the European Directive 91/155/EEC as amended by 93/112/EC and 2001/58/EC.

DIFE84430 2.00 (January 2004) /English Page 4 of 4